

**2009-10 All Current Patients
Summary: Gender, Age, Ethnicity
as at 30 June 2010**

Gender	Total NZ	% of Total
Male	3113	74%
Female	1070	26%
Totals	4183	100%

Age	Total NZ	% of Total
Under 20	177	4%
20-29	195	5%
30-39	397	10%
40-49	733	18%
50-59	855	20%
60-69	719	17%
70-79	669	16%
80-85	240	6%
85+	196	4%
Unknown	2	0%
Totals	4183	100%

Ethnicity	Total NZ	% of Total
NZ European	3069	73%
Maori	537	13%
Pacific	281	7%
Asian	115	3%
Other	160	4%
Unknown	21	0%
Totals	4183	100%

2009-10 All Current Patients

Amputations: Level, Cause

Amputation Level	Total NZ	% of Total
Below Knee	2508	54%
Above knee	987	21%
Upper Extremity	576	13%
Symes (ankle)	120	3%
Hip Disarticulation	49	1%
Through Knee	99	2%
Partial foot	1	0%
Amputation Pending	9	0%
Not reported on	6	0%
Other	290	6%
Totals	4645	100%
"Other" includes PFFD, orthosis		

Cause of Amputation	Total NZ	% of Total
Vascular	698	15%
Diabetes/Vascular	654	14%
Trauma	2222	48%
Neoplasia	258	6%
Congenital	510	11%
Infection	225	5%
Other	66	1%
Amputation Pending	5	0%
Not Reported On	7	0%
Totals	4645	100%

2009-10 New Referrals
Summary: Gender, Age, Ethnicity

Gender	Total NZ	% of Total
Male	255	64%
Female	144	36%
Totals	399	100%

Age	Total NZ	% of Total
Under 20	30	8%
20 - 30	10	2%
31 - 40	20	5%
41 - 50	32	8%
51 - 60	77	19%
61 - 70	67	17%
71 - 80	84	21%
81 - 85	39	10%
85 +	37	9%
Unknown	3	1%
Totals	399	100%

Ethnicity	Total NZ	% of Total
NZ European	250	63%
Maori	58	15%
Pacific	37	9%
Asian	12	3%
Other	20	5%
Unknown	22	5%
Totals	399	100%

**2009-10 New Referrals
Amputations: Level, Cause**

Amputation Level	Total NZ	% of Total
Below Knee	228	50%
Above Knee	144	32%
Upper Extremity	25	6%
Symes	3	1%
Hip Disartic	2	0%
Gr. Stokes & TK	4	1%
Other**	43	9%
Preamputation visit	4	1%
Not Reported On	1	0%
Totals	454	100%
**eg PFFD, orthosis		

Cause of Amputation	Total NZ	% of Total
Vascular	127	28%
Diabetes/Vascular	154	34%
Trauma	80	18%
Neoplasia	22	5%
Congenital	26	6%
Infection	34	7%
Other	4	1%
Pre-amputation	1	0%
Not reported on	6	1%
Totals	454	100%